

SOYGOLD[®]

FORMULARY

EPP, DFE, GREENSEAL PROTOTYPE FLOOR FINISH STRIPPER CONCENTRATE FS031904A

Linear Alcohol Ethoxylate C9-11 8 EO	15.00%
LAS Acid 99%	5.00%
Propylene Glycol N Propyl Ether	7.50%
Propylene Glycol N Butyl Ether	7.50%
DI or Soft Water	38.50%
KOH 45%	1.50%
SoyGold 1000	20.00%

Mix Instructions:

1. Mix LAE, LAS Acid, PNP, and PNB.
2. Slowly add water and mix thoroughly.
3. Very slowly add KOH 45% until pH is .0 to 8.0.
4. Very slowly add SoyGold and mix thoroughly
5. Add dye if desired
6. Package and QC

This formulation is a suggested starting point for the development of optimized formulations for the individual's specific application.

CONFIDENTIAL

Ag ENVIRONMENTAL PRODUCTS L.L.C.
Corporate Headquarters 1-800-247-1345
12700 West Dodge Road Omaha, NE 68103-2047
www.soygold.com