

SOYGOLD[®]

FORMULARY

HARD SURFACE CLEANER CONCENTRATE – HSC4

SoyGold 1000 or SoyClear 1500	20.00%
Ethoxylated Amine C ₁₄ 5EO	20.00%
Sodium Linear Alkylbenzene Sulfonate 60% (NaLAS)	16.67%
Soft or DI Water	43.33%
Dye	---

Mix Instructions:

1. Add SoyGold or SoyClear, Ethoxylated Amine, and NaLAS and mix until homogenous.
2. Heat mixture to 100 to 120 F.
3. Maintain heat and slowly add Water.
4. Add Dye in desired.
5. Insure formulation's pH is between 7.5 and 9.0. Adjust pH as needed.

This formulation is a suggested starting point for the development of optimized formulations for the individual's specific application.

CONFIDENTIAL

Ag ENVIRONMENTAL PRODUCTS L.L.C.
Corporate Headquarters 1-800-247-1345
12700 West Dodge Road Omaha, NE 68103-2047
www.soygold.com