

SOYGOLD[®]

FORMULARY

HARD SURFACE CLEANER CONCENTRATE – HSC5

SoyGold 1000 or SoyClear 1500	15.00%
Linear Alcohol Ethoxylate C ₉₋₁₁ 6 or 8 EO (LAE)	22.50%
Sodium Linear Alkylbenzene Sulfonate 60% (NaLAS)	12.50%
Propylene Glycol N Propyl Ether (PNP)	5.00%
Soft or DI Water	45.00%
Dye	---

Mix Instructions:

1. Add SoyGold or SoyClear, LAE, and NaLAS and mix until homogenous.
2. Add PNP and mix thoroughly.
3. Slowly add Water and mix thoroughly.
4. Add Dye in desired.
5. Insure formulation's pH is between 7.5 and 9.0. Adjust pH as needed.

This formulation is a suggested starting point for the development of optimized formulations for the individual's specific application.

CONFIDENTIAL

Ag ENVIRONMENTAL PRODUCTS L.L.C.
Corporate Headquarters 1-800-247-1345
12700 West Dodge Road Omaha, NE 68103-2047
www.soygold.com