



Moisturizing Cream

WT %

- 72.8 Deionized Water
- 5.0 SoyGold 1000
- 4.0 Cetearyl Alcohol
- 2.0 Glycerin, USP 99%
- 4.0 Coconut Oil
- 4.0 EGMS (Ethylene Glycol Monostearate)
- 3.0 Stearic Acid
- 2.0 Propylene Glycol USP
- 2.0 Sorbitol
- 1.0 Lanolin
- 0.2 Sodium Hydroxide
- q.s. Preservative
- q.s. Dye
- q.s. Fragrance

Blending Procedure:

1. Combine Water, Coconut Oil, SoyGold 1000, Stearic Acid, EGMS, Lanolin, Glycerin, Propylene Glycol, Sorbitol, Preservative, and Cetearyl Alcohol. Heat to 80 - 85° C and begin to mix.
2. At 80° C, once oils are liquefied, add Sodium Hydroxide and mix for 15 minutes.
3. Mix and cool to 30 - 35° C.
4. Add Remaining ingredients and fill.

The information given in this formulary is to the best of our knowledge accurate. The formulations are intended to be helpful, but no warranty is expressed or implied regarding the accuracy of the data. It is the users responsibility to determine the suitability of his use of the products described herein, and since the conditions of use are out of our control, we disclaim all liability with respect to the use of any materials supplied by AEP. Nothing contained herein shall be construed as permission or as a recommendation to practice any patented invention without a license from the patent owner nor as a recommendation to use any product or to practice any process in violation of any law or any government regulations.